



Done by: Abdullah Nimer

GI final (second year 2017)

| | |
|--|--|
| 1- Eosinophils in blood is a hallmark of: | worm infection |
| 2- The difference between E.histolytica and E.dispar cyst is: | Nothing |
| 3- Anterior to foramen of Winslow: | free edge of lesser omentum |
| 4- Which of the following is not a part of porto-systemic anastomosis: | right colic vein |
| 5- Wrong match: | achalasia with adenocarcinoma Diffuse ring appearance |
| 6- Prucalopride | 5-HT4 agonist |
| 7- Diloxanide Furoate | luminal amebicide |
| 8- Praziquantel | Schistosoma |
| 9- Infliximab | Crohn's disease |
| 10- All the following are lined with stratified squamous except: | appendix |
| 11- Longest lasting viral diarrhea | Adenovirus |
| 12- One of the following causes bilious vomiting: | annular pancreas |
| 13- Wrong about allantois: | forms the anal canal |
| 14- Wrong about omphalocele: | low mortality |
| 15- Wrong about lumbar plexus | no cutaneous nerves |
| 16- Upon the stimulation of saliva | Na ⁺ increases in concentration |
| 17- Wrong about indirect inguinal hernia | Lower lateral to pubic symphysis |
| 18- skin pigmentation | hemochromatosis |
| 19- Winslow disease | Low alpha globulin and low albumin |
| 20- diabetic patient with hyperplastic polyp on left colon. choose the right statement | They occur singly |
| 21- Oral contraceptives cause: | hepatic adenoma |

| | |
|---|--|
| 22- 16 years old boy with gall bladder full with Blackstone, that might happen due to: | Rapid weight loss |
| 23- A woman used to drink alcohol for 4 years then she decided to quit drink, the following will happen to her liver: | Complete remission |
| 24- All the following are true regarding PPIs except: | OTC agents for the treatment of intermittent dyspepsia not caused by gastric ulcer |
| 25- Wrong about hepatitis A | Less severe in adults than children |
| 26- We use a vaccine for: | Salmonella typhi |
| 27- Wrong about Shigella | Does not invade |
| 28- Wrong about Giardia: | if not treated will cause chronic bloody diarrhea |
| 29- Pharma wrong about H2 blockers: | They are effective even if the NSAIDS use is continued |
| 30- Wrong about hepatitis B: | infection with this virus increases with increased age. |